



# Fast-Setting Concrete/Mezcla de Concreto de Fraguado Rápido

## JUST ADD WATER

- A special blend of fast-setting cements, sand and gravel designed to set hard in approximately 20-40 minutes
- In a slab application, it can be walked on in two hours

### Use for setting:

- Mailbox posts
- Fence posts
- Lamp posts

### And for building:

- Steps
- Sidewalks
- Air Conditioner Pads
- Fast repairs in concrete driveways, patios and walkways



## HOW MUCH TO USE

Square Feet		2	5	10	15	25	35	Depth of Hole	Post Dia. 3" Hole Dia. 9"	Post Dia. 4" Post Dia. 12"
4" Thick	Number of 50 lb. bags	2	5	9	14	23	32			
6" Thick	Number of 50 lb. bags	3	7	14	20	34	47	24"	2	4
								30"	3	4
								36"	3	5
								42"	4	6
								48"	4	7

Number of bags required to pour a slab. All yields are approximate and do not allow for waste or uneven subgrade, etc. Meets the requirements of ASTM C387.

Number of 50 lb. bags to set a post (approximate)

The hole diameter should be 2 times the post diameter. The depth of the post hole should be one-half of the above-ground post height.

Please Price  
Slabs Here.