

Cement & Concrete Products™

# **Concrete and Asphalt Cleaner**

# MATERIAL SAFETY DATA SHEET (Complies with OSHA 29 CFR 1910.1200)

# SECTION I: PRODUCT IDENTIFICATION


The QUIKRETE<sup>®</sup> Companies One Securities Centre 3490 Piedmont Road, Suite 1300 Atlanta, GA 30329

Emergency Telephone Number (770) 216-9580 Information Telephone Number (770) 216-9580

MSDS Y1 Revision: Feb-07

QUIKRETE<sup>®</sup> Product Name QUIKRETE<sup>®</sup> Concrete & Asphalt Cleaner

<u>Code #</u> 8601-01, 14



Product Use: Chemical cleaner for concrete and asphalt surfaces

# **SECTION II - HAZARD IDENTIFICATION**

Route(s) of Entry: Skin, Ingestion

**Acute Exposure:** Direct eye-contact with material can cause irritation and possible corneal injury. **Chronic Exposure:** Prolonged exposure may cause slight irritation.

Carcinogenicity: Non-carcinogenic

Carcinogenicity Listings: Not applicable

Signs and Symptoms of Exposure: None known

Medical Conditions Generally Aggravated by Exposure: None known

SECTION III - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION				
Hazardous Components	CAS No.	<u>PEL (OSHA)</u>	TLV (ACGIH)	
Chucol Ethor	24500 04 9	mg/M <sup>3</sup> Not Established	$mg/M^3$	
Glycol Ether	34590-94-8	Not Established	100 ppm	
Sodium Hydroxide	1310-73-2	2	2	
SECTION IV – First Aid Measures				

**Eyes:** Immediately flush eye thoroughly with water. Continue flushing eye for at least 15 minutes, including under lids, to remove all particles. Call physician immediately.

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305

TEL 404-634-9100



#### CEMENT & CONCRETE PRODUCTS™

**Skin:** Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical treatment if irritation or inflammation develops or persists. Seek immediate medical treatment in the event of burns.

**Inhalation:** Remove to fresh air. Seek immediate medical attention if difficulty in breathing. **Ingestion:** If swallowed, give two glasses of water and induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

# SECTION V - FIRE AND EXPLOSION HAZARD DATA

Flammability: Noncombustible and not explosive. Auto-ignition Temperature: Not Applicable Flash Points: Glycol Ether has a flash point of 208°F (98°C) Unusual Fire and Explosive Hazards: None

# SECTION VI – ACCIDENTAL RELEASE MEASURES

If spilled, soak with absorbent material, flush remainder with water. Flush to sewer if permitted by applicable local, state and federal regulations.

### SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE

Store in a cool place; avoid freezing to preserve product utility.

#### SECTION VIII – EXPOSURE CONTROL MEASURES

**Engineering Controls:** Product is recommended for outdoor use only. No respiratory protection is required if ventilation is adequate. Avoid prolonged breathing of fumes.

**Personal Protection:** Use waterproof or chemical resistant gloves; wear safety glasses with side shields.

**Exposure Limits:** Consult local authorities for acceptable exposure limits.

# SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance: Clean blue liquid with sassafras odor Solubility in Water: infinitely dilutable Boiling Point: 212°F (100°C) Freezing Point: ~30°F (-1°C)

# SECTION X - REACTIVITY DATA

Stability: Stable.

Incompatibility (Materials to Avoid): Strong oxidizing agents

Hazardous Decomposition or By-products: Thermal decomposition may yield carbon monoxide and carbon dioxide.

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305

TEL 404-634-9100



#### CEMENT & CONCRETE PRODUCTS™

Hazardous Polymerization: Will Not Occur.

## SECTION XI – TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation, Ingestion Toxicity to Animals: None known Chronic Effects on Humans: None known Special Remarks on Toxicity: Not Available

#### **SECTION XII – ECOLOGICAL INFORMATION**

Ecotoxicity: Not Available BOD5 and COD: Not Available Products of Biodegradation: Not available Toxicity of the Products of Biodegradation: Not available Special Remarks on the Products of Biodegradation: Not available

#### SECTION XIII – DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** The packaging may be landfilled and material may be flushed to sewer, if permitted by local, state and federal regulations. This product is <u>not</u> classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302).

## SECTION XIV – TRANSPORT INFORMATION

**DOT/UN Shipping Name:** Non-regulated **DOT Hazard Class:** Non-regulated **Shipping Name:** Non-regulated Non-Hazardous under U.S. DOT and TDG Regulations

### SECTION XV – OTHER REGULATORY INFORMATION

US OSHA 29CFR 1910.1200: Considered non-hazardous

SARA (Title III) Sections 311 & 312: Not applicable

SARA (Title III) Section 313: Not subject to reporting requirements

TSCA (May 1997): All components are on the TSCA inventory list

Federal Hazardous Substances Act: Considered non-hazardous

# Canadian Environmental Protection Act: Not listed

**Canadian WHMIS:** Considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations (Class D2A, E- Corrosive Material) and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This product has been classified according to the hazard criteria of the Controlled Products Regulation (CPR). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

#### SECTION XVI – OTHER INFORMATION

#### CEMENT & CONCRETE PRODUCTS™

HMIS-III	l: Health – Flammability-	<ul> <li>0 = No significant health risk</li> <li>1 = Irritation or minor reversible injury possible</li> <li>2 = Temporary or minor injury possible</li> <li>3 = Major injury possible unless prompt action is taken</li> <li>4 = Life threatening, major or permanent damage possible</li> <li>0 = Material will not burn</li> <li>1 = Material must be preheated before ignition will occur</li> <li>2 = Material must be exposed to high temperatures before ignition</li> <li>3 = Material capable of ignition under normal temperatures</li> <li>4 = Flammable gases or very volatile liquids; may ignite spontaneously</li> </ul>		
I	Physical Hazard-	<ul> <li>0 = Material is normally stable, even under fire conditions</li> <li>1 = Material normally stable but may become unstable at high temps</li> <li>2 = Materials that are unstable and may undergo react at room temp</li> <li>3 = Materials that may form explosive mixtures with water</li> <li>4 = Materials that are readily capable of explosive water reaction</li> </ul>		
Abbrev	iations:			
	ACGIH	American Conference of Government Industrial Hygienists		
	CAS	Chemical Abstract Service		
	CERCLA	Comprehensive Environmental Response, Compensation & Liability Act		
	CFR	Code of Federal Regulations		
	CPR	Controlled Products Regulations (Canada)		
	DOT	Department of Transportation		
	IARC	International Agency for Research		
	MSHA	Mine Safety and Health Administration		
	NIOSH	National Institute for Occupational Safety and Health		
	NTP	National Toxicity Program		
	OSHA	Occupational Safety and Health Administration		
	PEL	Permissible Exposure Limit		
	RCRA	Resource Conservation and Recovery Act		
	SARA	Superfund Amendments and Reauthorization Act		
		Threshold Limit Value		
		Time-weighted Average		
	WHMIS	Workplace Hazardous Material Information System		

Revision #07-01, supersedes all previous revisions. Created: 11/28/2006 Last Updated: February 7, 2007

**NOTE:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

ONE SECURITIES CENTRE, 3490 PIEDMONT ROAD, SUITE 1300, ATLANTA, GA 30305